



**Craftsmith Beverage**  
1748 W Jefferson Ave. Unit C  
Naperville, IL. 60540  
License #: 4089-9195  
Confident ID: 2512SMIL1573.8704  
Metrc Source ID:



**SMITHERS**

**CERTIFICATE OF ANALYSIS**

License #: CTL0004

Certificate: 37370

**GWB35225 Best By: 6/18/27 #1319**

Metrc Source ID:

Sample Collected: 12/18/2025

Metrc Sample ID:

Sample Received: 12/18/2025

HDI-04.2-VWG111102

Report Published: 12/23/2025

Confident ID: 2512SMIL1573.8704

Sample Type: Beverage



## RESULTS SUMMARY

Cannabinoid Profile <b>Tested</b>	Microbial Contaminants <b>Pass</b>	Residual Solvents <b>Pass</b>	0.0% Total THC
Pesticides <b>Pass</b>	Mycotoxins <b>Pass</b>	Heavy Metals <b>Pass</b>	0.00645% Total CBD
Foreign Matter <b>Not Tested</b>	Moisture Analysis <b>Not Tested</b>	Water Activity <b>Not Tested</b>	0.00645% Total Cannabinoids
Terpenes <b>Not Tested</b>			NT Total Terpenes

**Report Notes:**

**Philip Travisano III, Ph.D.**

CTS Illinois State Director

**Smithers CTS Illinois LLC**  
8205 Cass Ave. Ste. 106  
Darien, IL 60561  
(872)-870-0500





**Craftsmith Beverage**  
 1748 W Jefferson Ave. Unit C  
 Naperville, IL. 60540  
 License #: 4089-9195  
 Confident ID: 2512SMIL1573.8704  
 Metrc Source ID:



**SMITHERS**

**CERTIFICATE OF ANALYSIS**

License #: CTL0004

Certificate: 37370

**Cannabinoids**

**Tested**

**Sample Analysis**

Sample Prep Date: 12/19/2025  
 Sample Analysis Date: 12/22/2025  
 Analyzed By: Agilent 1260 HPLC  
 SOP: SOP-CANN-001

Analyte	LOD (%)	LOQ (%)	Results (%)	Results (mg/g)	Results (mg/serving)	Results (mg/package)
CBC	4.9630e-5	9.9261e-5	ND	ND	ND	ND
CBCA	4.9630e-5	9.9261e-5	ND	ND	ND	ND
CBDV	4.9630e-5	9.9261e-5	ND	ND	ND	ND
CBDVA	4.9630e-5	9.9261e-5	ND	ND	ND	ND
CBD	4.9630e-5	9.9261e-5	0.00645	0.0645	22.898	22.898
CBDA	4.9630e-5	9.9261e-5	ND	ND	ND	ND
CBG	4.9630e-5	9.9261e-5	ND	ND	ND	ND
CBGA	4.9630e-5	9.9261e-5	ND	ND	ND	ND
CBN	4.9630e-5	9.9261e-5	ND	ND	ND	ND
Δ8-THC	4.9630e-5	9.9261e-5	ND	ND	ND	ND
Δ8-THCV	0	0	NT	NT	NT	NT
Δ9-THC	4.9630e-5	9.9261e-5	ND	ND	ND	ND
Δ9-THCV	4.9630e-5	9.9261e-5	ND	ND	ND	ND
THCVA	4.9630e-5	9.9261e-5	ND	ND	ND	ND
THCA	4.9630e-5	9.9261e-5	ND	ND	ND	ND
<b>Cannabinoid Totals</b>		<b>Results (%)</b>	<b>Results (mg/g)</b>	<b>Results (mg/serving)</b>	<b>Results (mg/package)</b>	
Total THC		0	0	0	0	
Total CBD		0.00645	0.0645	22.898	22.898	
Total Cannabinoids		0.00645	0.0645	22.898	22.898	

Total THC = THCa \* 0.877 + Δ9-THC  
 Total CBD = CBDA \* 0.877 + CBD  
 Total Cannabinoids = Sum of all analytes

Serving Weight: 355g;

**Report Notes:**

**Philip Travisano III, Ph.D.**

CTS Illinois State Director

**Smithers CTS Illinois LLC**

8205 Cass Ave. Ste. 106  
 Darien, IL 60561  
 (872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



**Craftsmith Beverage**  
 1748 W Jefferson Ave. Unit C  
 Naperville, IL. 60540  
 License #: 4089-9195  
 Confident ID: 2512SMIL1573.8704  
 Metrc Source ID:



**SMITHERS**

**CERTIFICATE OF ANALYSIS**

License #: CTL0004

**Certificate:** 37370

**Pesticides**

**Pass**

**Sample Analysis**

**Sample Prep Date:** 12/19/2025  
**Sample Analysis Date:** 12/21/2025  
**Analyzed By:** Agilent Ultivo LC-MS/MS  
**SOP:** SOP\_PEST\_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Acetamiprid	4.73	9.46	ND	10	Flonicamid	11.8	23.6	ND	30
Aldicarb	9.46	18.9	ND	20	Imidacloprid	9.46	18.9	ND	20
Bifenthrin	9.46	18.9	ND	50	Kresoxim Methyl	4.73	9.46	ND	10
Carbaryl	9.46	18.9	ND	20	Metalaxylyl	9.46	18.9	ND	20
Carbofuran	9.46	18.9	ND	100	Oxamyl	23.6	47.3	ND	50
Chlorantraniliprole	9.46	18.9	ND	20	Phosmet	9.46	18.9	ND	40
Chlorpyrifos	4.73	9.46	ND	10	Pyridaben	4.73	9.46	ND	10
Clofentezine	4.73	9.46	ND	10	Spiromesifen	4.73	9.46	ND	10
Diazinon	9.46	18.9	ND	50	Spirotetramat	4.73	9.46	ND	10
Ethoprophos	9.46	18.9	ND	20	Tebuconazole	18.9	37.8	ND	50
Etofenprox	4.73	9.46	ND	10	Thiamethoxam	9.46	18.9	ND	20
Etoxazole	4.73	9.46	ND	10	Trifloxystrobin	4.73	9.46	ND	10
Fenpyroximate	4.73	9.46	ND	15					

**Mycotoxins**

**Pass**

**Sample Analysis**

**Sample Prep Date:** 12/19/2025  
**Sample Analysis Date:** 12/21/2025  
**Analyzed By:** Agilent Ultivo LC-MS/MS  
**SOP:** SOP\_PEST\_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Aflatoxin B1	6.24	18.9	ND	20
Aflatoxin B2	6.24	18.9	ND	20
Aflatoxin G1	6.24	18.9	ND	20
Aflatoxin G2	6.24	18.9	ND	20
Ochratoxin A	6.24	18.9	ND	20

**Report Notes:**

**Philip Travisano III, Ph.D.**

CTS Illinois State Director

**Smithers CTS Illinois LLC**

8205 Cass Ave. Ste. 106  
 Darien, IL 60561  
 (872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



**Craftsmith Beverage**  
1748 W Jefferson Ave. Unit C  
Naperville, IL. 60540  
License #: 4089-9195  
Confident ID: 2512SMIL1573.8704  
Metrc Source ID:



**CERTIFICATE OF ANALYSIS**  
License #: CTL0004

**Certificate:** 37370

**Heavy Metals**

**Pass**

**Sample Analysis**

**Sample Prep Date:** 12/19/2025  
**Sample Analysis Date:** 12/22/2025  
**Analyzed By:** Agilent 7800 ICP-MS  
**SOP:** SOP\_HM\_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Cadmium	28.5	86.0	ND	500
Mercury	2.85	8.60	ND	3000
Lead	28.5	86.0	ND	1000
Chromium	28.5	86.0	ND	2000
Arsenic	28.5	86.0	ND	1500

**Microbial Impurities**

**Pass**

**Sample Analysis**

**Sample Prep Date:** 12/18/2025  
**Sample Analysis Date:** 12/21/2025  
**Analyzed By:** 3M Petrifilm  
**SOP:** SOP\_MICRO\_001

Analyte	Results (cfu/g)	Limit (cfu/g)
Total Aerobic Bacteria	ND	10000
Total Bile-Tolerant Gram-Negative Bacteria	ND	100
Total Coliforms	ND	100
Total Yeast & Mold	ND	1000
<i>E.coli</i> (pathogenic strains)	Not Detected	Detected
<i>Salmonella</i> spp.	Not Detected	Detected

**Report Notes:**

**Philip Travisano III, Ph.D.**

CTS Illinois State Director

**Smithers CTS Illinois LLC**

8205 Cass Ave. Ste. 106  
Darien, IL 60561  
(872)-870-0500



Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



**Craftsmith Beverage**  
1748 W Jefferson Ave. Unit C  
Naperville, IL. 60540  
License #: 4089-9195  
Confident ID: 2512SMIL1573.8704  
Metrc Source ID:



**CERTIFICATE OF ANALYSIS**  
License #: CTL0004

Certificate: 37370

**Residual Solvents**

**Pass**

**Sample Analysis**

Sample Prep Date: 12/19/2025  
Sample Analysis Date: 12/21/2025  
Analyzed By: GCMS  
SOP: SOP-RS-001

Analyte	LOD (ppm)	LOQ (ppm)	Results (ppm)	Limit (ppm)
Acetone	6.620	13.239	ND	5000
Butane	6.620	13.239	ND	5000
Ethanol	6.620	13.239	536.275	5000
Ethyl Acetate	6.620	13.239	ND	5000
Ethyl Ether	6.620	13.239	ND	5000
Ethylene Oxide	1.103	2.207	ND	50
Heptane	6.620	13.239	ND	5000
Hexane	6.620	13.239	ND	290
Isopropyl Alcohol	6.620	13.239	<LOQ	5000
Methanol	6.620	13.239	ND	3000
Methylene Chloride	6.620	13.239	ND	600
Pentane	6.620	13.239	ND	5000
Petroleum Ether	6.620	13.239	ND	400
Propane	6.620	13.239	ND	5000
Trichloroethylene	6.620	13.239	ND	80
Toluene	6.620	13.239	ND	5000
Xylenes	6.620	13.239	ND	2170

**Report Notes:**

**Philip Travisano III, Ph.D.**

CTS Illinois State Director

**Smithers CTS Illinois LLC**

8205 Cass Ave. Ste. 106  
Darien, IL 60561  
(872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.