



**Craftsmith Beverage**  
 1748 W Jefferson Ave. Unit C  
 Naperville, IL. 60540  
 License #: 4089-9195  
 Confident ID: 2603SMIL0383.2557  
 Metrc Source ID:



**SMITHERS**

**CERTIFICATE OF ANALYSIS**

License #: CTL0004

Certificate: IL-31729.1

**GDWM08026 Best By: 09/21/27 #1457**

Metrc Source ID:

Metrc Sample ID:

HDI-O4.2-VWG121001

Confident ID: 2603SMIL0383.2557

Sample Collected: 03/23/2026

Sample Received: 03/23/2026

Report Published: 03/27/2026

Sample Type: Beverage



**RESULTS SUMMARY**

<b>Cannabinoid Profile</b> <b>Tested</b>	<b>Microbial Contaminants</b> <b>Pass</b>	<b>Residual Solvents</b> <b>Pass</b>	<b>0.0%</b> Total THC
<b>Pesticides</b> <b>Pass</b>	<b>Mycotoxins</b> <b>Pass</b>	<b>Heavy Metals</b> <b>Pass</b>	<b>0.0072741%</b> Total CBD
<b>Foreign Matter</b> <b>Not Tested</b>	<b>Moisture Analysis</b> <b>Not Tested</b>	<b>Water Activity</b> <b>Not Tested</b>	<b>0.0072741%</b> Total Cannabinoids
	<b>Terpenes</b> <b>Not Tested</b>		<b>NT</b> Total Terpenes

**Report Notes:**

**Philip Travisano III, Ph.D.**

CTS Illinois State Director

**Smithers CTS Illinois LLC**  
 8205 Cass Ave. Ste. 106  
 Darien, IL 60561  
 (872)-870-0500



Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations. IL Compliance samples were handled according to SOP-SMPL-006.



**Craftsmith Beverage**  
 1748 W Jefferson Ave. Unit C  
 Naperville, IL. 60540  
 License #: 4089-9195  
 Confident ID: 2603SMIL0383.2557  
 Metrc Source ID:



**CERTIFICATE OF ANALYSIS**  
 License #: CTL0004

Certificate: IL-31729.1

**Cannabinoids**

**Tested**

**Sample Analysis**

Sample Prep Date: 03/26/2026  
 Sample Analysis Date: 03/27/2026  
 Analyzed By: Agilent 1260 HPLC  
 SOP: SOP-CANN-001

Analyte	LOD (%)	LOQ (%)	Results (%)	Results (mg/g)	Results (mg/serving)	Results (mg/package)
CBC	4.9763e-5	9.9527e-5	ND	ND	ND	ND
CBCA	4.9763e-5	9.9527e-5	ND	ND	ND	ND
CBDV	4.9763e-5	9.9527e-5	ND	ND	ND	ND
CBDVA	4.9763e-5	9.9527e-5	ND	ND	ND	ND
CBD	4.9763e-5	9.9527e-5	0.0072741	0.072741	25.823	25.823
CBDA	4.9763e-5	9.9527e-5	ND	ND	ND	ND
CBG	4.9763e-5	9.9527e-5	ND	ND	ND	ND
CBGA	4.9763e-5	9.9527e-5	ND	ND	ND	ND
CBN	4.9763e-5	9.9527e-5	ND	ND	ND	ND
Δ8-THC	4.9763e-5	9.9527e-5	ND	ND	ND	ND
Δ8-THCV	0	0	NT	NT	NT	NT
Δ9-THC	4.9763e-5	9.9527e-5	ND	ND	ND	ND
Δ9-THCV	4.9763e-5	9.9527e-5	ND	ND	ND	ND
THCVA	4.9763e-5	9.9527e-5	ND	ND	ND	ND
THCA	4.9763e-5	9.9527e-5	ND	ND	ND	ND

Cannabinoid Totals	Results (%)	Results (mg/g)	Results (mg/serving)	Results (mg/package)
Total THC	0	0	0	0
Total CBD	0.0072741	0.072741	25.823	25.823
Total Cannabinoids	0.0072741	0.072741	25.823	25.823

Total THC = THCa \* 0.877 + Δ9-THC  
 Total CBD = CBDa \* 0.877 + CBD  
 Total Cannabinoids = Sum of all analytes


Serving Weight: 355g;

**Report Notes:**

**Philip Travisano III, Ph.D.**

CTS Illinois State Director

**Smithers CTS Illinois LLC**  
 8205 Cass Ave. Ste. 106  
 Darien, IL 60561  
 (872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations. IL Compliance samples were handled according to SOP-SMPL-006.



**Craftsmith Beverage**  
 1748 W Jefferson Ave. Unit C  
 Naperville, IL. 60540  
 License #: 4089-9195  
 Confident ID: 2603SMIL0383.2557  
 Metrc Source ID:



**SMITHERS**

**CERTIFICATE OF ANALYSIS**

License #: CTL0004

Certificate: IL-31729.1

**Pesticides**

Pass

**Sample Analysis**

Sample Prep Date: 03/24/2026  
 Sample Analysis Date: 03/25/2026  
 Analyzed By: Agilent Ultivo LC-MS/MS  
 SOP: SOP\_PEST\_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Acetamiprid	3.95	7.91	ND	10	Flonicamid	9.88	19.8	ND	30
Aldicarb	7.91	15.8	ND	20	Imidacloprid	7.91	15.8	ND	20
Bifenthrin	7.91	15.8	ND	50	Kresoxim Methyl	3.95	7.91	ND	10
Carbaryl	7.91	15.8	ND	20	Metalaxyl	7.91	15.8	ND	20
Carbofuran	7.91	15.8	ND	100	Oxamyl	19.8	39.5	ND	50
Chlorantraniliprole	7.91	15.8	ND	20	Phosmet	7.91	15.8	ND	40
Chlorpyrifos	3.95	7.91	ND	10	Pyridaben	3.95	7.91	ND	10
Clofentezine	3.95	7.91	ND	10	Spiromesifen	3.95	7.91	ND	10
Diazinon	7.91	15.8	ND	50	Spirotetramat	3.95	7.91	ND	10
Ethoprophos	7.91	15.8	ND	20	Tebuconazole	15.8	31.6	ND	50
Etofenprox	3.95	7.91	ND	10	Thiamethoxam	7.91	15.8	ND	20
Etoxazole	3.95	7.91	ND	10	Trifloxystrobin	3.95	7.91	ND	10
Fenpyroximate	3.95	7.91	ND	15					

**Mycotoxins**

Pass

**Sample Analysis**

Sample Prep Date: 03/24/2026  
 Sample Analysis Date: 03/25/2026  
 Analyzed By: Agilent Ultivo LC-MS/MS  
 SOP: SOP\_PEST\_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Aflatoxin B1	5.22	15.8	ND	20
Aflatoxin B2	5.22	15.8	ND	20
Aflatoxin G1	5.22	15.8	ND	20
Aflatoxin G2	5.22	15.8	ND	20
Ochratoxin A	5.22	15.8	ND	20

**Report Notes:**

**Philip Travisano III, Ph.D.**

CTS Illinois State Director

**Smithers CTS Illinois LLC**  
 8205 Cass Ave. Ste. 106  
 Darien, IL 60561  
 (872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations. IL Compliance samples were handled according to SOP-SMPL-006.



**Craftsmith Beverage**  
 1748 W Jefferson Ave. Unit C  
 Naperville, IL. 60540  
 License #: 4089-9195  
 Confident ID: 2603SMIL0383.2557  
 Metrc Source ID:



**SMITHERS**

**CERTIFICATE OF ANALYSIS**

License #: CTL0004

Certificate: IL-31729.1

**Heavy Metals**

Pass

**Sample Analysis**

Sample Prep Date: 03/24/2026  
 Sample Analysis Date: 03/25/2026  
 Analyzed By: Agilent 7800 ICP-MS  
 SOP: SOP\_HM\_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Cadmium	24.5	73.7	ND	500
Mercury	2.45	7.37	ND	3000
Lead	24.5	73.7	ND	1000
Chromium	24.5	73.7	ND	2000
Arsenic	24.5	73.7	ND	1500

**Microbial Impurities**

Pass

**Sample Analysis**

Sample Prep Date: 03/23/2026  
 Sample Analysis Date: 03/25/2026  
 Analyzed By: 3M Petrifilm  
 SOP: SOP\_MICRO\_001

Analyte	Results (cfu/g)	Limit (cfu/g)
Total Aerobic Bacteria	ND	10000
Total Bile-Tolerant Gram-Negative Bacteria	ND	100
Total Coliforms	ND	100
Total Yeast & Mold	ND	1000
<i>E.coli</i> (pathogenic strains)	Not Detected	Detected
<i>Salmonella</i> spp.	Not Detected	Detected

**Report Notes:**

**Philip Travisano III, Ph.D.**

CTS Illinois State Director

**Smithers CTS Illinois LLC**  
 8205 Cass Ave. Ste. 106  
 Darien, IL 60561  
 (872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations. IL Compliance samples were handled according to SOP-SMPL-006.



**Craftsmith Beverage**  
 1748 W Jefferson Ave. Unit C  
 Naperville, IL. 60540  
 License #: 4089-9195  
 Confident ID: 2603SMIL0383.2557  
 Metrc Source ID:



**CERTIFICATE OF ANALYSIS**  
 License #: CTL0004

Certificate: IL-31729.1

**Residual Solvents**

Pass

**Sample Analysis**

Sample Prep Date: 03/24/2026  
 Sample Analysis Date: 03/25/2026  
 Analyzed By: GCMS  
 SOP: SOP-RS-001


Analyte	LOD (ppm)	LOQ (ppm)	Results (ppm)	Limit (ppm)
Acetone	6.499	12.998	ND	5000
Butane	6.499	12.998	ND	5000
Ethanol	6.499	12.998	983.362	5000
Ethyl Acetate	6.499	12.998	ND	5000
Ethyl Ether	6.499	12.998	ND	5000
Ethylene Oxide	1.083	2.166	ND	50
Heptane	6.499	12.998	ND	5000
Hexane	6.499	12.998	ND	290
Isopropyl Alcohol	6.499	12.998	ND	5000
Methanol	6.499	12.998	ND	3000
Methylene Chloride	6.499	12.998	ND	600
Pentane	6.499	12.998	ND	5000
Petroleum Ether	6.499	12.998	ND	400
Propane	6.499	12.998	ND	5000
Trichloroethylene	6.499	12.998	ND	80
Toluene	6.499	12.998	ND	5000
Xylenes	6.499	12.998	ND	2170

**Report Notes:**

**Philip Travisano III, Ph.D.**

CTS Illinois State Director

**Smithers CTS Illinois LLC**  
 8205 Cass Ave. Ste. 106  
 Darien, IL 60561  
 (872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations. IL Compliance samples were handled according to SOP-SMPL-006.